

# Electrolytic Copper Powder

## Applications

- Friction Products
- Carbon Brushes
- Diamond Grinding Wheels
- Silicon – Graphite lubricants
- Sintered Parts
- Electrical and Thermal Conductors

Grade	EL-260	EL-240	EL-215	EL-185	EL-135	EL-100	EL-70
Purity %	99.8	99.8	99.7	99.7	99.7	99.7	99.5
H2 Loss %	0.15	0.15	0.20	0.20	0.20	0.20	0.40
A.D. g/cc	2.5-2.7	2.3-2.5	2.0-2.3	1.75-1.95	1.25-1.45	.90-1.10	.65-0.75
Screen %							
+ 100	5 max	1 max					
+ 150	1-13	6 max					
+ 200	11-24		0.8 max	0.1 max	0.1 max	0.1 max	0.2 max
+ 325	20-30	55-65	5-15	5-15	10 max	10 max	12 max
- 325	40-55	35-45	85-95	85-95	90 min	90 min	88 min

Manufactured by: Pometon S.p.A. – Venice, Italy

Distributed by: **ACuPowder**

The information contained herein is presented as a guide for your investigation and verification. Products mentioned are sold without warranty, expressed or implied, that the goods shall be fit for any particular purpose of or use by the purchaser. Purchasers must conduct their own tests to determine the suitability for their intended purpose. We assume no liability for infringement of any patent resulting from the application of this information. By reason of lack of knowledge as to specific uses, no representation or warranty is made regarding the safety of these products or materials under the Federal Food, Drug and Cosmetics Act.

ISO 9001

*From industry pioneer to industry leader,  
We are innovation in motion*

ISO 14001

**ACuPowder International, LLC**  
901 Lehigh Avenue, Union NJ 07083 USA  
Phone: (908) 851-4500 X590 Customer Service.  
X521 Technical Service  
Fax: (908) 851-4597

**ACuPowder**

[www.acupowder.com](http://www.acupowder.com)

**ACuPowder TN, LLC**  
6621 Highway 411 S, Greenback, TN 37742  
Phone: (865) 856-3021 x112  
Fax: (865) 856-3083

*We have been part of your lives for over 90 years*